



Technical Documentation

Specifications for UGE-1K (eddyGT)

Document Number (s): UGE-1K-SPC-001

Original Date: May 20, 2011

Revised On: July 20, 2011

Version: 1.1

Completed by: MC

Checked by: YW

Please note that our documents are occasionally updated. You may verify the validity of this document by visiting: www.urbangreenenergy.com/documents




Urban Green Energy

eddyGT Wind Turbine Specifications


Physical Information

Axis	Vertical
Height	2.70 meters
Width	1.80 meters
Weight	175 kg
Swept Area	4.62 m ²
Blade Materials	Carbon Fiber & Fiberglass



Performance

Rated Power	1000 W
Cut-in Wind Speed	3.5 m/s
Cut-out Wind Speed	30 m/s
Rated RPM	180 RPM
Survival Wind Speed	55 m/s
Rated Wind Speed	12 m/s
Annual Energy at 5 m/s	1250 kWh
Noise from IEC 61400-11 at 12 m/s	38 dB



Certifications

CE Certified	European Conformity
IEC-61400-2	Wind Turbine Safety
IEC-61400-11	Noise Level Certification
IEC-61400-12	Power Performance Certification
ISO-2631	Vibration Level Certification

Electric Generation

Generator Type	Three-Phase Permanent Magnet
Ambient Temperature	-25 C to 65 C (-13 F to 150 F)
Drive System	Direct Drive
Rated Output	
Off-Grid	24 Vdc
Grid-Tie	600 Vdc
Inverters and Controllers	Available for all locations and regulations